2027373315

RECEIVED IN THE UNITED STATES PATENT AND TRADEMARK OFFICE CENTRAL FAX CENTER

FFR 0 5 2004

Applicant: Gary Jorgensen et al.) NREL 97-33
Serial No.: 09/762,719	OFFICIAL OFFICIAL
Filing Date: February 9, 2001) Examiner: Audrey Y. Chang
Title: A DURABLE CORROSION AND ULTRAVIOLET-RESISTANT SILVER MIRROR	,))

PROPOSED AMENDMENT UNDER 37 CFR §1.116

Commissioner For Patents P.O. Box 1450 Arlington, VA 22313-1450

Sir:

In reply to the Office Action mailed December 17, 2003 which rejected the claims in the above-identified patent application, applicants respectfully request reconsideration based upon the amendments hereinafter set forth.

RECEIVED GENTRAL FAX CENTER

FEB **0 5** 2004

LAW OFFICES OF JEROME J. NORRIS PATENTS & TRADEMARKS & COPYRIGHTS 1901 PENNSYLVANIA AVE., NW, SUITE 305 WASHINGTON, DC 20006 E-MAIL: jnorrislaw@crols.com

OFFICIAL

FACSIMILE TRANSMITTAL SHEET		
Examiner: Audrey Y. Chiang	_{FROM:} Jerome J. Norris	
COMPANY: USPTO	february 5, 2004	
FAX NUMBER: 703.872.9306	TOTAL NO. OF PAGES INCLUDING COVER:	
PHONE NUMBER: 703.305.6208	fax number: 202-737-3315	
PROPOSED AMENDMENT 09/762,719	202-737-4410	
Ø URGENT Ø FOR REVIEW ☐ PLEASI	E COMMENT PLEASE REPLY PLEASE RECYCLE	

Dear Examiner Chiang:

Fax-attached herewith is a Proposed Amendment (unsigned), Affidavit and Power of Attorney, for purposes of an interview on the above-identified patent application. After you have reviewed the same, please telephone to let me know a convenient time for the interview.

Very truly yours,

Jerome J. Norris

JJN:jhw Enclosures

The documents accompanying this telecopy transmission contain information from the Law Office of Jerome J. Norris, which is confidential or privileged. The information is intended to be for use by the individual or entity named on this transmission sheet. If you are not the intended recipient, be aware that any disclosure, copying, distribution or use of the contents of this telecopy information is prohibited. If you have received this telecopy in error, please notify us by telephone immediately.